get complete pdf at learnexams.com

ATI Pharmacology Proctored 2023 Exam with NGN Questions

Version 1, 2, 3 & 4

Consisting of 70 Questions In Each Exam

TABLE OF CONTENTS

ATI Pharmacology Proctored NGN 2023 Exam Version 1.....2

ATI Pharmacology Proctored NGN 2023 Exam Version 2.....35

ATI Pharmacology Proctored NGN 2023 Exam Version 3.....74

ATI Pharmacology Proctored NGN 2023 Exam Version 4.....107

learnexams

LEARNEXAMS.COM

get complete pdf at learnexams.com

ATI PHARMACOLOGY PROCTORED EXAM 2023

WITH NGN Questions and Answers (Verified Answers)

1. A nurse is assessing a client who is receiving intravenous therapy. The nurse should identify which of the following findings as a manifestation of fluid volume excess?

A. Decreased bowel sounds

B. Distended neck veins

C. Bilateral muscle weakness

D. Thread pulse

learnexams

ANS B. Distended neck veins

2. A nurse is caring for a client who has hyponatremia and is receiving an infusion of a prescribed
hypertonic solution. Which of the following findings should indicate to the nurse that the treatment is effective?

a. Absent Chvostek's sign

b. Improved cognition

c. Decreased vomiting

d. Cardiac arrhythmias absent

LEARNEXAMS.COM

get complete pdf at learnexams.com

ANS b. Improved cognition

learnexams

LEARNEXAMS.COM

get complete pdf at learnexams.com

3. A nurse is teaching a client who has a new prescription for a nitroglycerin transdermal patch.
Which of the following instructions should the nurse include?

A. "Discontinue the patch if you experience a headache."
B. "Apply a new patch if you have chest pain."
C. "Cover the patch with dry gauze when taking a shower."
D. "Remove the patch prior to going to bed."

ANS D. "Remove the patch prior to goingto bed."

4. A nurse is reviewing he laboratory results of a client who has a prescription for sodium polystyrene sulfonate (Kayexalate) every 6 hr. which of the follow- ing should the nurse report to the provider?

learnexams

A. Creatinine 0.72 mg/dL
B. Sodium 138 mEq/L
C. Magnesium 2 mEq/L
D. Potassium 5.2 mEq/L

ANS D. Potassium 5.2 mEq/L

Hyperkalemia (serum potassium level greater than 5.0 mEq/L)
increases the client risk for fatal cardiac dysrhythmias. Kayexalate is used to de-crease

LEARNEXAMS.COM